

DC Power supply

Suitable for aging test and research and development in industries such as LEDs, electric motors, electroplating, and new energy.

GUANGZHOU IDEALPLUSING INFORMATION TECHNOLOGY CO., LTD
Add: No. 85, Gaopu Road
Tianhe, Guangzhou
Guangdong Province
China. 510520

www.idealplusing.com

Product Selection Guide



SCAN THE QR CODE
TO EXPLORE OUR COMPLETE PRODUCT RANGE.



COMPANY PROFILE

We IDEALPLUSING are proud to be a solution provider rather than a pure manufacturer

Guangzhou IDEALPLUSING information technology co., LTD

We have established close cooperation with many power supply manufacturers, with a special focus on Chinese manufacturers with less sales or less experience in overseas markets.

We IDEALPLUSING not only provide products, but also strive to provide customers with suitable power supply solutions and quotations, and help customers evaluate and choose the most suitable solution.

Our main markets include Eastern Europe, Southeast Asia and East Asia. We now have 47 supply chain partners, and our customer types include retailers, engineers, wholesalers, brand companies, private users and manufacturers.

IPS-ATDP Series Product Introduction

The ATDP series of programmable DC power supplies is a versatile, high-performance DC power supply unit. It features a wide range of models and specifications, making it suitable for customized specifications and testing functions. The power supply has comprehensive protection functions against overvoltage, overcurrent, short circuits, and overtemperature. Its high accuracy, high stability, and high efficiency ensure reliable performance during long-term aging tests.




Power Supply 5000W-8000W

Single-phase AC 220V $\pm 10\%$ input
Wide application range and good stability



Power Supply 9000W-30KW

Three-phase AC 380V $\pm 10\%$ input
High voltage and high current,
suitable for batch testing.




Power Supply 40KW-50KW

Three-phase AC 380V $\pm 10\%$ input
High voltage and high current,
suitable for batch testing.

Product Features

- ◆ ATP series products can be customized with specifications ranging from 0-5000V, 0-2000A, and 0-200KW.
- ◆ LED LCD screen displays voltage, current, and power in high definition.
- ◆ Easy to operate, with a digital keypad and rotary encoder for precise adjustment of voltage and current.
- ◆ Supports setting up test sequences with 20 steps, allowing customization of voltage, current, time, and number of cycles.
- ◆ It comes standard with an RS-485 communication interface, and an RS232 interface is available as an option. It supports the Modbus communication protocol.
- ◆ Overvoltage, overcurrent, undervoltage, and undercurrent protection functions can be set, and overtemperature and short-circuit protection are triggered automatically.
- ◆ Protective covers are installed on the input and output terminals to prevent accidental contact and ensure safe transportation.

Functional Device Description-Front




Instructions

1. LCD display: Human-machine interaction interface, displaying Chinese menu;
2. Keyboard: Function keys and number keys;
3. Digital encoder: Can be used as an input substitute for the keyboard;
4. OUTPUT: This indicator light is on when there is output from the power supply;
5. "C.V" Status Indicator: Steady on indicates that the DC power supply is operating in constant voltage mode.
6. "C.C" Status Indicator: Steady on indicates that the DC power supply is operating in constant current (or current limiting) mode.
7. REMOTE Indicator: Remote control indicator, this light is on when remote control is active;
8. OV Indicator: Overvoltage protection indicator, this light is on during overvoltage conditions;
9. OI Indicator: Overcurrent protection indicator, this light is on during overcurrent conditions;
10. OT Indicator: Overtemperature protection indicator, this light is on during overtemperature conditions;
11. SHORT: Short circuit indicator, this light is on when the power supply is in a short circuit state;
12. Power Switch: Used to start and shut down

Function Key Descriptions

- a. "ON/OFF" Key: Power output/on/off key
- b. "MENU" Key: System menu key
- c. "V/I" Key: Voltage/current selection key
- d. "ENTER" Key: Confirmation key

Functional Device Description-Back




Product Specifications

AC Input	Single-phase 220V $\pm 10\%$ or three-phase 380V $\pm 10\%$
	Frequency: 50Hz/60Hz
Model	IPS-ATDP-__
Output Voltage	0 - Rated voltage
Output Current	0 - Rated current
Output Power	0 - Rated power
Power Supply Stability	$\leq 0.2\% + 10\text{mV}$
Load Stability	$\leq 0.2\% + 30\text{mV}$
Ripple	$\leq 0.5\% + 10\text{mV}$ (rms)
Voltage Value Display	4-digit display meter Accuracy: $\pm 0.3\% \text{FS} + 3$ digits (10%-100% of rated value)
	Display format: 0.000V-9.999V; 0.00V-99.99V; 0.0V-999.9V
Current Value Display	4-digit display Accuracy: $\pm 0.3\% \text{FS} + 3$ digits (10%-100% of rated value)
	Display format: 0.000A-9.999A; 0.00A-99.99A; 0.0A-999.9A
Menu Display	64 x 128 dot matrix LCD display
Output Overvoltage Protection	The menu allows you to set O.V.P. (Over-Voltage Protection) parameters; the protection value can be set arbitrarily, and the output will be shut off after protection is triggered.
Output Overcurrent Protection	The menu allows you to set O.I.P. protection; the protection value can be set arbitrarily, and the output will be shut off after protection is triggered.
Over-Temperature Protection	Built-in OTP (Over-Temperature Protection) with a protection value of $85^\circ\text{C} \pm 5\%$ (heatsink temperature); output is shut off after protection is triggered.
Voltage Setting	Menu settings, input via keyboard or encoder knob.
Current Setting	Menu settings, input via keyboard or encoder knob.
Control Interface	Standard analog signal output, RS-485 control interface.
Output Polarity	The positive (+) and negative (-) outputs can be grounded arbitrarily.
Cooling Method	Forced air cooling
Operating Environment	Designed for indoor use; temperature: 0°C to 40°C ; humidity: 10% to 85% RH
Storage Environment	Temperature: -20°C ~ 70°C ; Humidity: 10% ~ 90% RH
<p>Note: All values are typical values; therefore, these values may be exceeded under different load conditions or other circumstances. Accuracy is measured with voltage sensing at the load terminal. Due to temperature variations and component aging, the actual values may deviate from the rated values.</p>	

Product Specifications Table

Model	Output Specifications	Model	Output Specifications	Model	Output Specifications
IPS-ATDP-1550	15V 50A / 750W	IPS-ATDP-6010	60V 10A / 600W	IPS-ATDP-2005	200V 5A / 1000W
IPS-ATDP-15100	15V 100A / 1500W	IPS-ATDP-6020	60V 20A / 1200W	IPS-ATDP-20010	200V 10A / 2000W
IPS-ATDP-3030	30V 30A / 900W	IPS-ATDP-6030	60V 30A / 1800W	IPS-ATDP-20015	200V 15A / 3000W
IPS-ATDP-3050	30V 50A / 1500W	IPS-ATDP-6050	60V 50A / 3000W	IPS-ATDP-20020	200V 20A / 4000W
IPS-ATDP-3060	30V 60A / 1800W	IPS-ATDP-10010	100V 10A / 1000W	IPS-ATDP-3005	300V 5A / 1500W
IPS-ATDP-30100	30V 100A / 3000W	IPS-ATDP-10020	100V 20A / 2000W	IPS-ATDP-30010	300V 10A / 3000W
IPS-ATDP-5020	50V 20A / 1000W	IPS-ATDP-10030	100V 30A / 3000W	IPS-ATDP-5003	500V 5A / 1000W
IPS-ATDP-5030	50V 30A / 1500W	IPS-ATDP-12010	120V 10A / 1200W	IPS-ATDP-5005	500V 5A / 2500W
IPS-ATDP-5050	50V 50A / 2500W	IPS-ATDP-15010	150V 10A / 1500W	IPS-ATDP-6003	600V 5A / 1800W
IPS-ATDP-5060	50V 60A / 3000W	IPS-ATDP-15020	150V 20A / 3000W	IPS-ATDP-6005	600V 5A / 5000W
IPS-ATDP-24210	24V 210A / 5040W	IPS-ATDP-10050	100V 50A / 5000W	IPS-ATDP-60010	600V 10A / 6000W
IPS-ATDP-20300	20V 300A / 6000W	IPS-ATDP-10060	100V 60A / 6000W	IPS-ATDP-80010	800V 10A / 8000W
IPS-ATDP-30200	30V 200A / 6000W	IPS-ATDP-20030	200V 30A / 600W	IPS-ATDP-10003	1000V 3A / 3000W
IPS-ATDP-50100	50V 100A / 5000W	IPS-ATDP-30020	30V 200A / 6000W	IPS-ATDP-20002	2000V 2A / 4000W
IPS-ATDP-60100	60V 100A / 6000W	IPS-ATDP-50010	500V 10A / 5000W	IPS-ATDP-30001	3000V 1A / 3000W
IPS-ATDP-180120	180V 120A / 22KW	IPS-ATDP-100100	100V 100A / 10KW	IPS-ATDP-50030	500V 30A / 15KW
IPS-ATDP-151000	15V 1000A / 15KW	IPS-ATDP-100200	100V 200A / 20KW	IPS-ATDP-50050	500V50A / 22.5KW
IPS-ATDP-30300	30V 300A / 9KW	IPS-ATDP-100300	100V 300A / 30KW	IPS-ATDP-60020	600V 20A / 12KW
IPS-ATDP-30500	300V 50A / 15KW	IPS-ATDP-150100	150V 100A / 15KW	IPS-ATDP-60030	600V 30A / 18KW
IPS-ATDP-301000	30V 1000A / 30KW	IPS-ATDP-150150	150V150A/ 22.5KW	IPS-ATDP-60050	600V 50A / 30KW
IPS-ATDP-50200	50V 200A / 10KW	IPS-ATDP-150200	150V 200A / 30KW	IPS-ATDP-80050	800V 50A / 40KW
IPS-ATDP-50300	50V 300A / 15KW	IPS-ATDP-20050	200V 50A / 10KW	IPS-ATDP-100010	1000V 10A / 10KW
IPS-ATDP-50600	50V 600A / 30KW	IPS-ATDP-200100	200V 100A / 20KW	IPS-ATDP-100050	1000V 50A / 50KW
IPS-ATDP-60200	60V 200A / 12KW	IPS-ATDP-200200	200V 200A / 40KW	IPS-ATDP-200010	2000V 10A / 20KW
IPS-ATDP-60300	60V 300A / 18KW	IPS-ATDP-30030	300V 30A / 9KW	IPS-ATDP-300010	3000V 10A / 30KW
IPS-ATDP-60500	60V 500A / 30KW	IPS-ATDP-300100	300V 100A / 30KW	IPS-ATDP-60001	6000V 1A / 6KW


IPS-ATDP Series DC Power Supply-1500W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP620	220VAC	6VDC	250A	1500W	145*320*450	11.0	12.5
2	IPS-ATDP12150	220VAC	10VDC	150A	1500W	145*320*450	10.5	11.5
3	IPS-ATDP12125	220VAC	12VDC	125A	1500W	145*320*450	10.5	11.5
4	IPS-ATDP15100	220VAC	15VDC	100A	1500W	145*320*355	10.5	11.5
5	IPS-ATDP2075	220VAC	20VDC	75A	1500W	145*320*355	9.6	10.8
6	IPS-ATDP2560	220VAC	25VDC	60A	1500W	145*320*355	9.6	10.8
7	IPS-ATDP3050	220VAC	30VDC	50A	1500W	145*320*355	9.6	10.8
8	IPS-ATDP4037.5	220VAC	40VDC	37.5A	1500W	145*320*355	9.6	10.8
9	IPS-ATDP5030	220VAC	50VDC	30A	1500W	145*320*355	9.6	10.8
10	IPS-ATDP6025	220VAC	60VDC	25A	1500W	145*320*355	9.6	10.8
11	IPS-ATDP7520	220VAC	75VDC	20A	1500W	145*320*355	9.6	10.8
12	IPS-ATDP10015	220VAC	100VDC	15A	1500W	145*320*355	10.0	11.5
13	IPS-ATDP12512	220VAC	125VDC	12A	1500W	145*320*355	10.0	11.5
14	IPS-ATDP15010	220VAC	150VDC	10A	1500W	145*320*355	10.0	11.5
15	IPS-ATDP2007.5	220VAC	200VDC	7.5A	1500W	145*320*355	10.0	11.5
16	IPS-ATDP2506	220VAC	250VDC	6A	1500W	145*320*355	10.0	11.5
17	IPS-ATDP3005	220VAC	300VDC	5A	1500W	145*320*355	10.0	11.5
18	IPS-ATDP3754	220VAC	375VDC	4A	1500W	145*320*355	10.0	11.5
19	IPS-ATDP5003	220VAC	500VDC	3A	1500W	145*320*450	10.5	11.5
20	IPS-ATDP6002.5	220VAC	600VDC	2.5A	1500W	145*320*450	11.0	12.5
21	IPS-ATDP7002.14	220VAC	700VDC	2.14A	1500W	145*320*450	11.0	12.5
22	IPS-ATDP7502	220VAC	750VDC	2A	1500W	145*320*450	11.0	12.5
23	IPS-ATDP8001.87	220VAC	800VDC	1.87A	1500W	145*320*450	11.0	12.5
24	IPS-ATDP9001.66	220VAC	900VDC	1.66A	1500W	145*320*450	11.0	12.5
25	IPS-ATDP10001.5	220VAC	1000VDC	1.5A	1500W	145*320*450	11.0	12.5
26	IPS-ATDP15001	220VAC	1500VDC	1A	1500W	145*320*450	11.0	12.5


IPS-ATDP Series DC Power Supply-2000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP8250	220VAC	8VDC	250A	2000W	145*320*450	11.0	12.5
2	IPS-ATDP10200	220VAC	10VDC	200A	2000W	145*320*450	11.0	12.5
3	IPS-ATDP16125	220VAC	16VDC	125A	2000W	145*320*450	10.0	11.5
4	IPS-ATDP20100	220VAC	20VDC	100A	2000W	145*320*355	9.6	10.8
5	IPS-ATDP2580	220VAC	25VDC	80A	2000W	145*320*355	9.6	10.8
6	IPS-ATDP4050	220VAC	40VDC	50A	2000W	145*320*355	9.6	10.8
7	IPS-ATDP5040	220VAC	50VDC	40A	2000W	145*320*355	9.6	10.8
8	IPS-ATDP8025	220VAC	80VDC	25A	2000W	145*320*355	9.6	10.8
9	IPS-ATDP10020	220VAC	100VDC	20A	2000W	145*320*355	10.0	11.5
10	IPS-ATDP12516	220VAC	125VDC	16A	2000W	145*320*355	10.0	11.5
11	IPS-ATDP16012.5	220VAC	160VDC	12.5A	2000W	145*320*355	10.0	11.5
12	IPS-ATDP20010	220VAC	200VDC	10A	2000W	145*320*355	9.6	10.8
13	IPS-ATDP2508	220VAC	250VDC	8A	2000W	145*320*355	9.6	10.8
14	IPS-ATDP4005	220VAC	400VDC	5A	2000W	145*320*450	9.6	10.8
15	IPS-ATDP5004	220VAC	500VDC	4A	2000W	145*320*450	10.0	11.5
16	IPS-ATDP8002.5	220VAC	800VDC	2.5A	2000W	145*320*450	10.0	11.5
17	IPS-ATDP10002	220VAC	1000VDC	2A	2000W	145*320*450	10.0	11.5
18	IPS-ATDP15001.3	220VAC	1500VDC	1.3A	2000W	145*320*450	11.0	12.5
19	IPS-ATDP20001	220VAC	2000VDC	1A	2000W	145*320*450	11.0	12.5

IPS-ATDP Series DC Power Supply-3000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP5600	220VAC	5VDC	600A	3000W	190*430*455	18.0	26.0
2	IPS-ATDP6500	220VAC	6VDC	500A	3000W	190*430*455	18.0	26.0
3	IPS-ATDP8375	220VAC	8VDC	375A	3000W	145*320*450	12.0	13.5
4	IPS-ATDP10300	220VAC	10VDC	300A	3000W	145*320*450	12.0	13.5
5	IPS-ATDP12250	220VAC	12VDC	250A	3000W	145*320*450	12.0	13.5
6	IPS-ATDP15200	220VAC	15VDC	200A	3000W	145*320*450	11.0	12.5
7	IPS-ATDP20150	220VAC	20VDC	150A	3000W	145*320*450	11.0	12.5
8	IPS-ATDP24125	220VAC	24VDC	125A	3000W	145*320*450	11.0	12.5
9	IPS-ATDP25120	220VAC	25VDC	120A	3000W	145*320*450	11.0	12.5
10	IPS-ATDP30100	220VAC	30VDC	100A	3000W	145*320*355	10.0	11.5
11	IPS-ATDP4075	220VAC	40VDC	75A	3000W	145*320*355	10.0	11.5
12	IPS-ATDP5060	220VAC	50VDC	60A	3000W	145*320*355	10.0	11.5
13	IPS-ATDP6050	220VAC	60VDC	50A	3000W	145*320*355	10.0	11.5
14	IPS-ATDP7540	220VAC	75VDC	40A	3000W	145*320*355	10.0	11.5
15	IPS-ATDP10030	220VAC	100VDC	30A	3000W	145*320*355	10.0	11.5
16	IPS-ATDP12025	220VAC	120VDC	25A	3000W	145*320*355	10.0	11.5
17	IPS-ATDP12524	220VAC	125VDC	24A	3000W	145*320*355	10.0	11.5
18	IPS-ATDP15020	220VAC	150VDC	20A	3000W	145*320*355	10.0	11.5
19	IPS-ATDP20015	220VAC	200VDC	15A	3000W	145*320*355	10.0	11.5
20	IPS-ATDP24012.5	220VAC	240VDC	12.5A	3000W	145*320*355	10.0	11.5
21	IPS-ATDP25012	220VAC	250VDC	12A	3000W	145*320*355	10.0	11.5
22	IPS-ATDP30010	220VAC	300VDC	10A	3000W	145*320*355	10.0	11.5
23	IPS-ATDP3758	220VAC	375VDC	8A	3000W	145*320*355	10.0	11.5
24	IPS-ATDP5006	220VAC	500VDC	6A	3000W	145*320*450	11.0	12.5
25	IPS-ATDP6005	220VAC	600VDC	5A	3000W	145*320*450	11.0	12.5
26	IPS-ATDP7504	220VAC	750VDC	4A	3000W	145*320*450	11.0	12.5
27	IPS-ATDP10003	220VAC	1000VDC	3A	3000W	145*320*450	12.0	13.5
28	IPS-ATDP15002	220VAC	1500VDC	2A	3000W	145*320*450	12.0	13.5
29	IPS-ATDP20001.5	220VAC	2000VDC	1.5A	3000W	145*320*450	12.0	13.5
30	IPS-ATDP30001	220VAC	3000VDC	1A	3000W	190*430*455	19.0	28.0


IPS-ATDP Series DC Power Supply-4000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP8500	220VAC	8VDC	500A	4000W	190*430*455	20	28.0
2	IPS-ATDP10400	220VAC	10VDC	400A	4000W	190*430*455	20	28.0
3	IPS-ATDP13.3300	220VAC	13.3VDC	300A	4000W	190*430*455	19	27.0
4	IPS-ATDP16250	220VAC	16VDC	250A	4000W	190*430*455	18	26.0
5	IPS-ATDP20200	220VAC	20VDC	200A	4000W	145*320*450	12.0	13.5
6	IPS-ATDP25160	220VAC	25VDC	160A	4000W	145*320*450	12.0	13.5
7	IPS-ATDP32125	220VAC	32VDC	125A	4000W	145*320*450	12.0	13.5
8	IPS-ATDP40100	220VAC	40VDC	100A	4000W	190*430*455	12.0	13.5
9	IPS-ATDP5080	220VAC	50VDC	80A	4000W	145*320*450	11.0	12.5
10	IPS-ATDP8050	220VAC	80VDC	50A	4000W	145*320*450	11.0	12.5
11	IPS-ATDP10040	220VAC	100VDC	40A	4000W	145*320*450	12.0	13.5
12	IPS-ATDP12532	220VAC	125VDC	32A	4000W	145*320*450	11.0	12.5
13	IPS-ATDP16025	220VAC	160VDC	25A	4000W	145*320*450	11.0	12.5
14	IPS-ATDP20020	220VAC	200VDC	20A	4000W	145*320*450	11.0	12.5
15	IPS-ATDP25016	220VAC	250VDC	16A	4000W	145*320*450	11.0	12.5
16	IPS-ATDP40010	220VAC	400VDC	10A	4000W	145*320*450	11.0	12.5
17	IPS-ATDP5008	220VAC	500VDC	8A	4000W	145*320*450	12.0	13.5
18	IPS-ATDP8005	220VAC	800VDC	5A	4000W	145*320*450	12.0	13.5
19	IPS-ATDP10004	220VAC	1000VDC	4A	4000W	190*430*455	12.0	13.5
20	IPS-ATDP15002.6	220VAC	1500VDC	2.6A	4000W	145*320*450	12.0	13.5
21	IPS-ATDP16002.5	220VAC	1600VDC	2.5A	4000W	145*320*450	12.0	13.5
22	IPS-ATDP20002	220VAC	2000VDC	2A	4000W	190*430*455	12.0	13.5
23	IPS-ATDP40001	220VAC	4000VDC	1A	4000W	190*430*455	18	26.0


IPS-ATDP Series DC Power Supply-5000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP8625	220VAC	8VDC	625A	5000W	190*430*455	21	29.0
2	IPS-ATDP10500	220VAC	10VDC	500A	5000W	190*430*455	21	29.0
3	IPS-ATDP12.5400	220VAC	12.5VDC	400A	5000W	190*430*455	20	28.0
4	IPS-ATDP20250	220VAC	20VDC	250A	5000W	190*430*455	19	27.0
5	IPS-ATDP25200	220VAC	25VDC	200A	5000W	190*430*455	19	27.0
6	IPS-ATDP40125	220VAC	40VDC	125A	5000W	190*430*455	19	27.0
7	IPS-ATDP50100	220VAC	50VDC	100A	5000W	190*430*455	19	27.0
8	IPS-ATDP8062.5	220VAC	80VDC	62.5A	5000W	190*430*455	19	27.0
9	IPS-ATDP10050	220VAC	100VDC	50A	5000W	190*430*455	19	27.0
10	IPS-ATDP12540	220VAC	125VDC	40A	5000W	190*430*455	19	27.0
11	IPS-ATDP20025	220VAC	200VDC	25A	5000W	190*430*455	19	27.0
12	IPS-ATDP25020	220VAC	250VDC	20A	5000W	190*430*455	19	27.0
13	IPS-ATDP40012.5	220VAC	400VDC	12.5A	5000W	190*430*455	19	27.0
14	IPS-ATDP50010	220VAC	500VDC	10A	5000W	190*430*455	19	27.0
15	IPS-ATDP6258	220VAC	625VDC	8A	5000W	190*430*455	19	27.0
16	IPS-ATDP8006.25	220VAC	800VDC	6.25A	5000W	190*430*455	19	27.0
17	IPS-ATDP10005	220VAC	1000VDC	5A	5000W	190*430*455	19	27.0
18	IPS-ATDP12504	220VAC	1250VDC	4A	5000W	190*430*455	19	27.0
19	IPS-ATDP15003.3	220VAC	1500VDC	3.3A	5000W	190*430*455	19	27.0
20	IPS-ATDP20002.5	220VAC	2000VDC	2.5A	5000W	190*430*455	20	28.0
21	IPS-ATDP25002	220VAC	2500VDC	2A	5000W	190*430*455	20	28.0
22	IPS-ATDP50001	220VAC	5000VDC	1A	5000W	190*430*455	21	29.0


IPS-ATDP Series DC Power Supply-6000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP12500	220VAC	12VDC	500A	6000W	190*430*455	24	32
2	IPS-ATDP15400	220VAC	15VDC	400A	6000W	190*430*455	24	32
3	IPS-ATDP16375	220VAC	16VDC	375A	6000W	190*430*455	22	30
4	IPS-ATDP20300	220VAC	20VDC	300A	6000W	190*430*455	22	30
5	IPS-ATDP24250	220VAC	24VDC	250A	6000W	190*430*455	22	30
6	IPS-ATDP25240	220VAC	25VDC	240A	6000W	190*430*455	22	30
7	IPS-ATDP30200	220VAC	30VDC	200A	6000W	190*430*455	22	30
8	IPS-ATDP40150	220VAC	40VDC	150A	6000W	190*430*455	20	28
9	IPS-ATDP48125	220VAC	48VDC	125A	6000W	190*430*455	20	28
10	IPS-ATDP50125	220VAC	50VDC	120A	6000W	190*430*455	20	28
11	IPS-ATDP60100	220VAC	60VDC	100A	6000W	190*430*455	20	28
12	IPS-ATDP7580	220VAC	75VDC	80A	6000W	190*430*455	19	27
13	IPS-ATDP8075	220VAC	80VDC	75A	6000W	190*430*455	19	27
14	IPS-ATDP10060	220VAC	100VDC	60A	6000W	190*430*455	19	27
15	IPS-ATDP12050	220VAC	120VDC	50A	6000W	190*430*455	19	27
16	IPS-ATDP12548	220VAC	125VDC	48A	6000W	190*430*455	19	27
17	IPS-ATDP15040	220VAC	150VDC	40A	6000W	190*430*455	19	27
18	IPS-ATDP20030	220VAC	200VDC	30A	6000W	190*430*455	19	27
19	IPS-ATDP24025	220VAC	240VDC	25A	6000W	190*430*455	19	27
20	IPS-ATDP25024	220VAC	250VDC	24A	6000W	190*430*455	19	27
21	IPS-ATDP30020	220VAC	300VDC	20A	6000W	190*430*455	19	27
22	IPS-ATDP37516	220VAC	375VDC	16A	6000W	190*430*455	19	27
23	IPS-ATDP40015	220VAC	400VDC	15A	6000W	190*430*455	19	27
24	IPS-ATDP50012	220VAC	500VDC	12A	6000W	190*430*455	19	27
25	IPS-ATDP60010	220VAC	600VDC	10A	6000W	190*430*455	19	27
26	IPS-ATDP7508	220VAC	750VDC	8A	6000W	190*430*455	20	28
27	IPS-ATDP8007.5	220VAC	800VDC	7.5A	6000W	190*430*455	20	28
28	IPS-ATDP10006	220VAC	1000VDC	6A	6000W	190*430*455	20	28
29	IPS-ATDP12005	220VAC	1200VDC	5A	6000W	190*430*455	20	28
30	IPS-ATDP15004	220VAC	1500VDC	4A	6000W	190*430*455	20	28
31	IPS-ATDP20003	220VAC	2000VDC	3A	6000W	190*430*455	21	29
32	IPS-ATDP30002	220VAC	3000VDC	2A	6000W	190*430*455	22	30
33	IPS-ATDP60001	220VAC	6000VDC	1A	6000W	190*430*455	24	32

IPS-ATDP Series DC Power Supply-7000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP14500	220VAC	14VDC	500A	7000W	190*430*455	24	32.0
2	IPS-ATDP20350	220VAC	20VDC	350A	7000W	190*430*455	23	31.0
3	IPS-ATDP25280	220VAC	25VDC	280A	7000W	190*430*455	23	31.0
4	IPS-ATDP28250	220VAC	28VDC	250A	7000W	190*430*455	23	31.0
5	IPS-ATDP35200	220VAC	35VDC	200A	7000W	190*430*455	22	30.0
6	IPS-ATDP40175	220VAC	40VDC	175A	7000W	190*430*455	22	30.0
7	IPS-ATDP50140	220VAC	50VDC	140A	7000W	190*430*455	22	30.0
8	IPS-ATDP56125	220VAC	56VDC	125A	7000W	190*430*455	22	30.0
9	IPS-ATDP70100	220VAC	70VDC	100A	7000W	190*430*455	22	30.0
10	IPS-ATDP10070	220VAC	100VDC	70A	7000W	190*430*455	21	29.0
11	IPS-ATDP12556	220VAC	125VDC	56A	7000W	190*430*455	21	29.0
12	IPS-ATDP14050	220VAC	140VDC	50A	7000W	190*430*455	21	29.0
13	IPS-ATDP17540	220VAC	175VDC	40A	7000W	190*430*455	21	29.0
14	IPS-ATDP20035	220VAC	200VDC	35A	7000W	190*430*455	20	28.0
15	IPS-ATDP25028	220VAC	250VDC	28A	7000W	190*430*455	20	28.0
16	IPS-ATDP28025	220VAC	280VDC	25A	7000W	190*430*455	20	28.0
17	IPS-ATDP35020	220VAC	350VDC	20A	7000W	190*430*455	20	28.0
18	IPS-ATDP50014	220VAC	500VDC	14A	7000W	190*430*455	20	28.0
19	IPS-ATDP70010	220VAC	700VDC	10A	7000W	190*430*455	21	29.0
20	IPS-ATDP8758	220VAC	875VDC	8A	7000W	190*430*455	21	29.0
21	IPS-ATDP10007	220VAC	1000VDC	7A	7000W	190*430*455	21	29.0
22	IPS-ATDP14005	220VAC	1400VDC	5A	7000W	190*430*455	22	30.0
23	IPS-ATDP17504	220VAC	1750VDC	4A	7000W	190*430*455	22	30.0
24	IPS-ATDP20003.5	220VAC	2000VDC	3.5A	7000W	190*430*455	22	30.0
25	IPS-ATDP35002	220VAC	3500VDC	2A	7000W	190*430*455	22	30.0

IPS-ATDP Series DC Power Supply-8000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP16500	220VAC	16VDC	500A	8000W	190*430*455	24	32.0
2	IPS-ATDP20400	220VAC	20VDC	400A	8000W	190*430*455	24	32.0
3	IPS-ATDP25320	220VAC	25VDC	320A	8000W	190*430*455	23	31.0
4	IPS-ATDP32250	220VAC	32VDC	250A	8000W	190*430*455	23	31.0
5	IPS-ATDP40200	220VAC	40VDC	200A	8000W	190*430*455	22	30.0
6	IPS-ATDP50160	220VAC	50VDC	160A	8000W	190*430*455	22	30.0
7	IPS-ATDP64125	220VAC	64VDC	125A	8000W	190*430*455	22	30.0
8	IPS-ATDP80100	220VAC	80VDC	100A	8000W	190*430*455	22	30.0
9	IPS-ATDP10080	220VAC	100VDC	80A	8000W	190*430*455	22	30.0
10	IPS-ATDP12564	220VAC	125VDC	64A	8000W	190*430*455	22	30.0
11	IPS-ATDP16050	220VAC	160VDC	50A	8000W	190*430*455	22	30.0
12	IPS-ATDP20040	220VAC	200VDC	40A	8000W	190*430*455	22	30.0
13	IPS-ATDP25032	220VAC	250VDC	32A	8000W	190*430*455	22	30.0
14	IPS-ATDP32025	220VAC	320VDC	25A	8000W	190*430*455	22	30.0
15	IPS-ATDP40020	220VAC	400VDC	20A	8000W	190*430*455	22	30.0
16	IPS-ATDP50016	220VAC	500VDC	16A	8000W	190*430*455	22	30.0
17	IPS-ATDP60013	220VAC	600VDC	13.3A	8000W	190*430*455	22	30.0
18	IPS-ATDP80010	220VAC	800VDC	10A	8000W	190*430*455	22	30.0

IPS-ATDP Series DC Power Supply-9000W



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP61500	380VAC	6VDC	1500A	9000W	650*430*350	55	70
2	IPS-ATDP81125	220VAC/380VAC	8VDC	1125A	9000W	650*430*264	39	49
3	IPS-ATDP91000	220VAC/380VAC	9VDC	1000A	9000W	650*430*264	39	49
4	IPS-ATDP10900	220VAC/380VAC	10VDC	900A	9000W	650*430*264	39	49
5	IPS-ATDP11.25800	220VAC/380VAC	11.25VDC	800A	9000W	650*430*264	38	48
6	IPS-ATDP12750	220VAC/380VAC	12VDC	750A	9000W	650*430*264	38	48
7	IPS-ATDP15600	220VAC/380VAC	15VDC	600A	9000W	650*430*264	38	48
8	IPS-ATDP18500	220VAC/380VAC	18VDC	500A	9000W	650*430*264	37	47
9	IPS-ATDP20450	220VAC/380VAC	20VDC	450A	9000W	650*430*264	37	47
10	IPS-ATDP24375	220VAC/380VAC	24VDC	375A	9000W	650*430*264	37	47
11	IPS-ATDP25360	220VAC/380VAC	25VDC	360A	9000W	650*430*264	37	47
12	IPS-ATDP30300	220VAC/380VAC	30VDC	300A	9000W	650*430*264	37	47
13	IPS-ATDP36250	220VAC/380VAC	36VDC	250A	9000W	650*430*264	37	47
14	IPS-ATDP40225	220VAC/380VAC	40VDC	225A	9000W	650*430*264	37	47
15	IPS-ATDP45200	220VAC/380VAC	45VDC	200A	9000W	650*430*264	35	45
16	IPS-ATDP500180	220VAC/380VAC	50VDC	180A	9000W	650*430*264	35	45
17	IPS-ATDP60150	220VAC/380VAC	60VDC	150A	9000W	650*430*264	33	43
18	IPS-ATDP72125	220VAC/380VAC	72VDC	125A	9000W	650*430*264	33	43
19	IPS-ATDP75120	220VAC/380VAC	75VDC	120A	9000W	650*430*264	33	43
20	IPS-ATDP90100	220VAC/380VAC	90VDC	100A	9000W	650*430*264	33	43
21	IPS-ATDP10090	220VAC/380VAC	100VDC	90A	9000W	650*430*264	33	43
22	IPS-ATDP12075	220VAC/380VAC	120VDC	75A	9000W	650*430*264	33	43
23	IPS-ATDP12572	220VAC/380VAC	125VDC	72A	9000W	650*430*264	33	43
24	IPS-ATDP15060	220VAC/380VAC	150VDC	60A	9000W	650*430*264	33	43
25	IPS-ATDP18050	220VAC/380VAC	180VDC	50A	9000W	650*430*264	33	43
26	IPS-ATDP20045	220VAC/380VAC	200VDC	45A	9000W	650*430*264	33	43
27	IPS-ATDP22540	220VAC/380VAC	225VDC	40A	9000W	650*430*264	33	43
28	IPS-ATDP25036	220VAC/380VAC	250VDC	36A	9000W	650*430*264	33	43
29	IPS-ATDP30030	220VAC/380VAC	300VDC	30A	9000W	650*430*264	32	42
30	IPS-ATDP36025	220VAC/380VAC	360VDC	25A	9000W	650*430*264	32	42
31	IPS-ATDP37524	220VAC/380VAC	375VDC	24A	9000W	650*430*264	32	42
32	IPS-ATDP40022.5	220VAC/380VAC	400VDC	22.5A	9000W	650*430*264	32	42
33	IPS-ATDP45020	220VAC/380VAC	450VDC	20A	9000W	650*430*264	32	42
34	IPS-ATDP50018	220VAC/380VAC	500VDC	18A	9000W	650*430*264	32	42
35	IPS-ATDP60015	220VAC/380VAC	600VDC	15A	9000W	650*430*264	32	42
36	IPS-ATDP75012	220VAC/380VAC	750VDC	12A	9000W	650*430*264	32	42
37	IPS-ATDP90010	220VAC/380VAC	900VDC	10A	9000W	650*430*264	33	43
38	IPS-ATDP10009	220VAC/380VAC	1000VDC	9A	9000W	650*430*264	33	43
39	IPS-ATDP11258	220VAC/380VAC	1125VDC	8A	9000W	650*430*264	33	43
40	IPS-ATDP15006	220VAC/380VAC	1500VDC	6A	9000W	650*430*264	33	43
41	IPS-ATDP18005	220VAC/380VAC	1800VDC	5A	9000W	650*430*264	35	45
42	IPS-ATDP20004.5	220VAC/380VAC	2000VDC	4.5A	9000W	650*430*264	35	45
43	IPS-ATDP22504	220VAC/380VAC	2250VDC	4A	9000W	650*430*264	35	45
44	IPS-ATDP30003	220VAC/380VAC	3000VDC	3A	9000W	650*430*264	35	45
45	IPS-ATDP45002	380VAC	4500VDC	2A	9000W	650*430*350	35	45

IPS-ATDP Series DC Power Supply-10KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP81250	380VAC	8VDC	1250A	10KW	650*430*264	34	44
2	IPS-ATDP101000	380VAC	10VDC	1000A	10KW	650*430*264	34	44
3	IPS-ATDP12.5800	380VAC	12.5VDC	800A	10KW	650*430*264	34	44
4	IPS-ATDP16625	380VAC	16VDC	625A	10KW	650*430*264	33	43
5	IPS-ATDP20500	380VAC	20VDC	500A	10KW	650*430*264	32	42
6	IPS-ATDP25400	380VAC	25VDC	400A	10KW	650*430*264	32	42
7	IPS-ATDP40250	380VAC	40VDC	250A	10KW	650*430*264	32	42
8	IPS-ATDP50200	380VAC	50VDC	200A	10KW	650*430*264	33	43
9	IPS-ATDP80125	380VAC	80VDC	125A	10KW	650*430*264	33	43
10	IPS-ATDP100100	380VAC	100VDC	100A	10KW	650*430*264	33	43
11	IPS-ATDP12580	380VAC	125VDC	80A	10KW	650*430*264	33	43
12	IPS-ATDP20050	380VAC	200VDC	50A	10KW	650*430*264	32	42
13	IPS-ATDP25040	380VAC	250VDC	40A	10KW	650*430*264	32	42
14	IPS-ATDP40025	380VAC	400VDC	25A	10KW	650*430*264	32	42
15	IPS-ATDP50020	380VAC	500VDC	20A	10KW	650*430*264	32	42
16	IPS-ATDP80012.5	380VAC	800VDC	12.5A	10KW	650*430*264	32	42
17	IPS-ATDP100010	380VAC	1000VDC	10A	10KW	650*430*264	32	42
18	IPS-ATDP12508	380VAC	1250VDC	8A	10KW	650*430*264	32	42
19	IPS-ATDP20005	380VAC	2000VDC	5A	10KW	650*430*350	55	70
20	IPS-ATDP25004	380VAC	2500VDC	4A	10KW	650*430*350	55	70

IPS-ATDP Series DC Power Supply-12KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP62000	380VAC	6VDC	2000A	12KW	650*430*350	55	70
2	IPS-ATDP81500	380VAC	8VDC	1500A	12KW	650*430*350	55	70
3	IPS-ATDP101200	380VAC	10VDC	1200A	12KW	650*430*264	34	44
4	IPS-ATDP121000	380VAC	12VDC	1000A	12KW	650*430*264	34	44
5	IPS-ATDP15800	380VAC	15VDC	800A	12KW	650*430*264	33	43
6	IPS-ATDP16750	380VAC	16VDC	750A	12KW	650*430*264	33	43
7	IPS-ATDP20600	380VAC	20VDC	600A	12KW	650*430*264	33	43
8	IPS-ATDP24500	380VAC	24VDC	500A	12KW	650*430*264	33	43
9	IPS-ATDP25480	380VAC	25VDC	480A	12KW	650*430*264	33	43
10	IPS-ATDP30400	380VAC	30VDC	400A	12KW	650*430*264	33	43
11	IPS-ATDP32375	380VAC	32VDC	375A	12KW	650*430*264	33	43
12	IPS-ATDP40300	380VAC	40VDC	300A	12KW	650*430*264	33	43
13	IPS-ATDP48250	380VAC	48VDC	250A	12KW	650*430*264	33	43
14	IPS-ATDP50240	380VAC	50VDC	240A	12KW	650*430*264	33	43
15	IPS-ATDP60200	380VAC	60VDC	200A	12KW	650*430*264	33	43
16	IPS-ATDP75160	380VAC	75VDC	160A	12KW	650*430*264	33	43
17	IPS-ATDP80150	380VAC	80VDC	150A	12KW	650*430*264	33	43
18	IPS-ATDP96125	380VAC	96VDC	125A	12KW	650*430*264	32	42
19	IPS-ATDP100120	380VAC	100VDC	120A	12KW	650*430*264	32	42
20	IPS-ATDP120100	380VAC	120VDC	100A	12KW	650*430*264	32	42
21	IPS-ATDP12596	380VAC	125VDC	96A	12KW	650*430*264	32	42
22	IPS-ATDP15080	380VAC	150VDC	80A	12KW	650*430*264	32	42
23	IPS-ATDP16075	380VAC	160VDC	75A	12KW	650*430*264	32	42
24	IPS-ATDP20060	380VAC	200VDC	60A	12KW	650*430*264	32	42
25	IPS-ATDP24050	380VAC	240VDC	50A	12KW	650*430*264	32	42
26	IPS-ATDP25048	380VAC	250VDC	48A	12KW	650*430*264	32	42
27	IPS-ATDP30040	380VAC	300VDC	40A	12KW	650*430*264	32	42
28	IPS-ATDP37532	380VAC	375VDC	32A	12KW	650*430*264	32	42
29	IPS-ATDP40030	380VAC	400VDC	30A	12KW	650*430*264	32	42
30	IPS-ATDP48025	380VAC	480VDC	25A	12KW	650*430*264	32	42
31	IPS-ATDP50024	380VAC	500VDC	24A	12KW	650*430*264	32	42
32	IPS-ATDP60020	380VAC	600VDC	20A	12KW	650*430*264	32	42
33	IPS-ATDP75016	380VAC	750VDC	16A	12KW	650*430*264	32	42
34	IPS-ATDP80015	380VAC	800VDC	15A	12KW	650*430*264	32	42
35	IPS-ATDP96012.5	380VAC	960VDC	12.5A	12KW	650*430*264	32	42
36	IPS-ATDP100012	380VAC	1000VDC	12A	12KW	650*430*264	32	42
37	IPS-ATDP120010	380VAC	1200VDC	10A	12KW	650*430*264	32	42
38	IPS-ATDP15008	380VAC	1500VDC	8A	12KW	650*430*264	32	42
39	IPS-ATDP20006	380VAC	2000VDC	6A	12KW	650*430*264	32	42
40	IPS-ATDP24005	380VAC	2400VDC	5A	12KW	650*430*264	32	42
41	IPS-ATDP30004	380VAC	3000VDC	4A	12KW	650*430*350	55	70

IPS-ATDP Series DC Power Supply-15KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP101500	380VAC	10VDC	1500A	15KW	650*430*350	55	70
2	IPS-ATDP121250	380VAC	12VDC	1250A	15KW	650*430*350	55	70
3	IPS-ATDP151000	380VAC	15VDC	1000A	15KW	650*430*264	33	43
4	IPS-ATDP20750	380VAC	20VDC	750A	15KW	650*430*264	33	43
5	IPS-ATDP24625	380VAC	24VDC	625A	15KW	650*430*264	33	43
6	IPS-ATDP25600	380VAC	25VDC	600A	15KW	650*430*264	33	43
7	IPS-ATDP30500	380VAC	30VDC	500A	15KW	650*430*264	33	43
8	IPS-ATDP40375	380VAC	40VDC	375A	15KW	650*430*264	33	43
9	IPS-ATDP48312.5	380VAC	48VDC	312.5A	15KW	650*430*264	33	43
10	IPS-ATDP50300	380VAC	50VDC	300A	15KW	650*430*264	33	43
11	IPS-ATDP60250	380VAC	60VDC	250A	15KW	650*430*264	33	43
12	IPS-ATDP75200	380VAC	75VDC	200A	15KW	650*430*264	33	43
13	IPS-ATDP80187.5	380VAC	80VDC	187.5A	15KW	650*430*264	33	43
14	IPS-ATDP100150	380VAC	100VDC	150A	15KW	650*430*264	33	43
15	IPS-ATDP120125	380VAC	120VDC	125A	15KW	650*430*264	32	42
16	IPS-ATDP125120	380VAC	125VDC	120A	15KW	650*430*264	32	42
17	IPS-ATDX150100	380VAC	150VDC	100A	15KW	650*430*264	32	42
18	IPS-ATDP20075	380VAC	200VDC	75A	15KW	650*430*264	32	42
19	IPS-ATDP25060	380VAC	250VDC	60A	15KW	650*430*264	32	42
20	IPS-ATDP30050	380VAC	300VDC	50A	15KW	650*430*264	32	42
21	IPS-ATDP37540	380VAC	375VDC	40A	15KW	650*430*264	32	42
22	IPS-ATDP50030	380VAC	500VDC	30A	15KW	650*430*264	32	42
23	IPS-ATDP60025	380VAC	600VDC	25A	15KW	650*430*264	32	42
24	IPS-ATDP62524	380VAC	625VDC	24A	15KW	650*430*264	32	42
25	IPS-ATDP75020	380VAC	750VDC	20A	15KW	650*430*264	32	42
26	IPS-ATDP100015	380VAC	1000VDC	15A	15KW	650*430*264	32	42
27	IPS-ATDP125012	380VAC	1250VDC	12A	15KW	650*430*264	32	42
28	IPS-ATDP150010	380VAC	1500VDC	10A	15KW	650*430*264	32	42
29	IPS-ATDP18758	380VAC	1875VDC	8A	15KW	650*430*264	32	42
30	IPS-ATDP25006	380VAC	2500VDC	6A	15KW	650*430*264	32	42
31	IPS-ATDP30005	380VAC	3000VDC	5A	15KW	650*430*264	32	42
32	IPS-ATDP37504	380VAC	3750VDC	4A	15KW	650*430*264	34	44
33	IPS-ATDP50003	380VAC	5000VDC	3A	15KW	650*430*264	34	44

IPS-ATDP Series DC Power Supply-16KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP101600	380VAC	10VDC	1600A	16KW	650*430*350	55	70
2	IPS-ATDP161000	380VAC	16VDC	1000A	16KW	650*430*264	34	44
3	IPS-ATDP20800	380VAC	20VDC	800A	16KW	650*430*264	34	44
4	IPS-ATDP25640	380VAC	25VDC	640A	16KW	650*430*264	34	44
5	IPS-ATDP32500	380VAC	32VDC	500A	16KW	650*430*264	34	44
6	IPS-ATDP40400	380VAC	40VDC	400A	16KW	650*430*264	34	44
7	IPS-ATDP50320	380VAC	50VDC	320A	16KW	650*430*264	33	43
8	IPS-ATDP64250	380VAC	64VDC	250A	16KW	650*430*264	33	43
9	IPS-ATDP80320	380VAC	80VDC	320A	16KW	650*430*264	33	43
10	IPS-ATDP100160	380VAC	100VDC	160A	16KW	650*430*264	33	43
11	IPS-ATDP125128	380VAC	125VDC	128A	16KW	650*430*264	33	43
12	IPS-ATDP128125	380VAC	128VDC	125A	16KW	650*430*264	33	43
13	IPS-ATDP160100	380VAC	160VDC	100A	16KW	650*430*264	33	43
14	IPS-ATDP20080	380VAC	200VDC	80A	16KW	650*430*264	33	43
15	IPS-ATDP25064	380VAC	250VDC	64A	16KW	650*430*264	32	33
16	IPS-ATDP32050	380VAC	320VDC	50A	16KW	650*430*264	32	33
17	IPS-ATDP40040	380VAC	400VDC	40A	16KW	650*430*264	32	33
18	IPS-ATDP50032	380VAC	500VDC	32A	16KW	650*430*264	32	33
19	IPS-ATDP64025	380VAC	640VDC	25A	16KW	650*430*264	32	33
20	IPS-ATDP80020	380VAC	800VDC	20A	16KW	650*430*264	32	33
21	IPS-ATDP100016	380VAC	1000VDC	16A	16KW	650*430*264	32	33
22	IPS-ATDP128012.5	380VAC	1280VDC	12.5A	16KW	650*430*264	32	33
23	IPS-ATDP160010	380VAC	1600VDC	10A	16KW	650*430*264	32	33
24	IPS-ATDP20008	380VAC	2000VDC	8A	16KW	650*430*264	33	43
25	IPS-ATDP32005	380VAC	3200VDC	5A	16KW	650*430*350	55	70
26	IPS-ATDP40004	380VAC	4000VDC	4A	16KW	650*430*350	55	70

IPS-ATDP Series DC Power Supply-20KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP102000	380VAC	10VDC	2000A	20KW	650*430*350	55	70
2	IPS-ATDP161250	380VAC	16VDC	1250A	20KW	650*430*264	34	44
3	IPS-ATDP201000	380VAC	20VDC	1000A	20KW	650*430*264	34	44
4	IPS-ATDP25800	380VAC	25VDC	800A	20KW	650*430*264	34	44
5	IPS-ATDP32625	380VAC	32VDC	625A	20KW	650*430*264	34	44
6	IPS-ATDP40500	380VAC	40VDC	500A	20KW	650*430*264	34	44
7	IPS-ATDP50400	380VAC	50VDC	400A	20KW	650*430*264	34	44
8	IPS-ATDP64312	380VAC	64VDC	312A	20KW	650*430*264	33	43
9	IPS-ATDP80250	380VAC	80VDC	250A	20KW	650*430*264	33	43
10	IPS-ATDP100200	380VAC	100VDC	200A	20KW	650*430*264	33	43
11	IPS-ATDP125160	380VAC	125VDC	160A	20KW	650*430*264	33	43
12	IPS-ATDP128156	380VAC	128VDC	156A	20KW	650*430*264	33	43
13	IPS-ATDP160125	380VAC	160VDC	125A	20KW	650*430*264	33	43
14	IPS-ATDP200100	380VAC	200VDC	100A	20KW	650*430*264	33	43
15	IPS-ATDP25080	380VAC	250VDC	80A	20KW	650*430*264	33	43
16	IPS-ATDP25678	380VAC	256VDC	78A	20KW	650*430*264	32	43
17	IPS-ATDP40050	380VAC	400VDC	50A	20KW	650*430*264	32	43
18	IPS-ATDP50040	380VAC	500VDC	40A	20KW	650*430*264	32	43
19	IPS-ATDP62532	380VAC	625VDC	32A	20KW	650*430*264	32	43
20	IPS-ATDP80025	380VAC	800VDC	25A	20KW	650*430*264	32	43
21	IPS-ATDP100020	380VAC	1000VDC	20A	20KW	650*430*264	32	43
22	IPS-ATDP125016	380VAC	1250VDC	16A	20KW	650*430*264	32	43
23	IPS-ATDP200010	380VAC	2000VDC	10A	20KW	650*430*264	34	44
24	IPS-ATDP25008	380VAC	2500VDC	8A	20KW	650*430*264	34	44
25	IPS-ATDP40005	380VAC	4000VDC	5A	20KW	650*430*350	55	70
26	IPS-ATDP50004	380VAC	5000VDC	4A	20KW	650*430*350	55	70

IPS-ATDP Series DC Power Supply-25KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP102500	380VAC	10VDC	2500A	25KW	650*430*350	65	75
2	IPS-ATDP201250	380VAC	20VDC	1250A	25KW	650*430*264	34	44
3	IPS-ATDP251000	380VAC	25VDC	1000A	25KW	650*430*264	34	44
4	IPS-ATDP40625	380VAC	40VDC	625A	25KW	650*430*264	34	44
5	IPS-ATDP50500	380VAC	50VDC	500A	25KW	650*430*264	34	44
6	IPS-ATDP100250	380VAC	100VDC	250A	25KW	650*430*264	34	44
7	IPS-ATDP125200	380VAC	125VDC	200A	25KW	650*430*264	34	44
8	IPS-ATDP200125	380VAC	200VDC	125A	25KW	650*430*264	34	44
9	IPS-ATDP250100	380VAC	250VDC	100A	25KW	650*430*264	34	44
10	IPS-ATDP50050	380VAC	500VDC	50A	25KW	650*430*264	33	43
11	IPS-ATDP62540	380VAC	625VDC	40A	25KW	650*430*264	33	43
12	IPS-ATDP100025	380VAC	1000VDC	25A	25KW	650*430*264	33	43
13	IPS-ATDP125020	380VAC	1250VDC	20A	25KW	650*430*264	33	43
14	IPS-ATDP250010	380VAC	2500VDC	10A	25KW	650*430*264	33	43
15	IPS-ATDP31258	380VAC	3125VDC	8A	25KW	650*430*350	55	70


IPS-ATDP Series DC Power Supply-30KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP122500	380VAC	12VDC	2500A	30KW	650*430*350	65	75
2	IPS-ATDP152000	380VAC	15VDC	2000A	30KW	650*430*350	65	75
3	IPS-ATDP161875	380VAC	16VDC	1875A	30KW	650*430*350	55	70
4	IPS-ATDP201500	380VAC	20VDC	1500A	30KW	650*430*350	55	70
5	IPS-ATDP241250	380VAC	24VDC	1250A	30KW	650*430*264	34	44
6	IPS-ATDP251200	380VAC	25VDC	1200A	30KW	650*430*264	34	44
7	IPS-ATDP301000	380VAC	30VDC	1000A	30KW	650*430*264	34	44
8	IPS-ATDP40750	380VAC	40VDC	750A	30KW	650*430*264	34	44
9	IPS-ATDP48625	380VAC	48VDC	625A	30KW	650*430*264	33	43
10	IPS-ATDP50600	380VAC	50VDC	600A	30KW	650*430*264	33	43
11	IPS-ATDP60500	380VAC	60VDC	500A	30KW	650*430*264	33	43
12	IPS-ATDP75400	380VAC	75VDC	400A	30KW	650*430*264	33	43
13	IPS-ATDP80375	380VAC	80VDC	375A	30KW	650*430*264	33	43
14	IPS-ATDP100300	380VAC	100VDC	300A	30KW	650*430*264	33	43
15	IPS-ATDP120250	380VAC	120VDC	250A	30KW	650*430*264	33	43
16	IPS-ATDP125240	380VAC	125VDC	240A	30KW	650*430*264	33	43
17	IPS-ATDP150200	380VAC	150VDC	200A	30KW	650*430*264	33	43
18	IPS-ATDP200150	380VAC	200VDC	150A	30KW	650*430*264	33	43
19	IPS-ATDP240125	380VAC	240VDC	125A	30KW	650*430*264	33	43
20	IPS-ATDP250120	380VAC	250VDC	120A	30KW	650*430*264	33	43
21	IPS-ATDP300100	380VAC	300VDC	100A	30KW	650*430*264	33	43
22	IPS-ATDP37580	380VAC	375VDC	80A	30KW	650*430*264	33	43
23	IPS-ATDP40075	380VAC	400VDC	75A	30KW	650*430*264	32	43
24	IPS-ATDP50060	380VAC	500VDC	60A	30KW	650*430*264	32	43
25	IPS-ATDP60050	380VAC	600VDC	50A	30KW	650*430*264	32	43
26	IPS-ATDP62548	380VAC	625VDC	48A	30KW	650*430*264	32	43
27	IPS-ATDP75040	380VAC	750VDC	40A	30KW	650*430*264	32	43
28	IPS-ATDP100030	380VAC	1000VDC	30A	30KW	650*430*264	32	43
29	IPS-ATDP120025	380VAC	1200VDC	25A	30KW	650*430*264	32	43
30	IPS-ATDP125024	380VAC	1250VDC	24A	30KW	650*430*264	32	43
31	IPS-ATDP150020	380VAC	1500VDC	20A	30KW	650*430*264	33	43
32	IPS-ATDP200015	380VAC	2000VDC	15A	30KW	650*430*264	33	43
33	IPS-ATDP240012.5	380VAC	2400VDC	12.5A	30KW	650*430*264	33	43
34	IPS-ATDP250012	380VAC	2500VDC	12A	30KW	650*430*350	55	70
35	IPS-ATDP300010	380VAC	3000VDC	10A	30KW	650*430*350	55	70
36	IPS-ATDP37508	380VAC	3750VDC	8A	30KW	650*430*350	55	70

IPS-ATDP Series DC Power Supply-40KW



- ◆ Customizable: 0-10000VDC, 0-2000A, 0-200KW
- ◆ 4-digit LED display
- ◆ Keyboard buttons and rotary encoders
- ◆ Programmable voltage, current, time output
- ◆ RS-485 communication interface

Serial Number	Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Power (W)	Dimensions/MM (H*W*L)	Net Weight (KG)	Gross Weight (KG)
1	IPS-ATDP202000	380VAC	20VDC	2000A	40KW	650*430*350	60	75
2	IPS-ATDP251600	380VAC	25VDC	1600A	40KW	650*430*350	60	75
3	IPS-ATDP321250	380VAC	32VDC	1250A	40KW	650*430*350	60	75
4	IPS-ATDP401000	380VAC	40VDC	1000A	40KW	650*430*350	55	70
5	IPS-ATDP508000	380VAC	50VDC	800A	40KW	650*430*350	55	70
6	IPS-ATDP64625	380VAC	64VDC	625A	40KW	650*430*350	55	70
7	IPS-ATDP80500	380VAC	80VDC	500A	40KW	650*430*350	55	70
8	IPS-ATDP100400	380VAC	100VDC	400A	40KW	650*430*350	55	70
9	IPS-ATDP125320	380VAC	125VDC	320A	40KW	650*430*350	55	70
10	IPS-ATDP160250	380VAC	160VDC	250A	40KW	650*430*350	55	70
11	IPS-ATDP200200	380VAC	200VDC	200A	40KW	650*430*350	55	70
12	IPS-ATDP250160	380VAC	250VDC	160A	40KW	650*430*350	55	70
13	IPS-ATDP320125	380VAC	320VDC	125A	40KW	650*430*350	55	70
14	IPS-ATDP400100	380VAC	400VDC	100A	40KW	650*430*350	55	70
15	IPS-ATDP50080	380VAC	500VDC	80A	40KW	650*430*350	55	70
16	IPS-ATDP62564	380VAC	625VDC	64A	40KW	650*430*350	55	70
17	IPS-ATDP80050	380VAC	800VDC	50A	40KW	650*430*350	55	70
18	IPS-ATDP100040	380VAC	1000VDC	40A	40KW	650*430*350	55	70
19	IPS-ATDP125032	380VAC	1250VDC	32A	40KW	650*430*350	55	70
20	IPS-ATDP160025	380VAC	1600VDC	25A	40KW	650*430*350	55	70
21	IPS-ATDP200020	380VAC	2000VDC	20A	40KW	650*430*350	55	70
22	IPS-ATDP250016	380VAC	2500VDC	16A	40KW	650*430*350	55	70

WHY YOU SHOULD CHOOSE IDEALPLUSING

IDEALPLUSING stands out as a strategic partner rather than just a product supplier. They specialize in collaborating with power supply manufacturers—particularly those in China with limited overseas market experience or sales reach—to deliver tailored solutions and seamless international support.

Key Advantages:

- 1.Solution-Oriented Approach
- 2.Strong Manufacturer Partnerships
- 3.Diverse Market Experience
- 4.Wide Customer Coverage
- 5.Export & Market Expansion Support

We provide customized power supply solutions and expert quotations, helping clients evaluate and select the most suitable options—not just selling products.

We have established close cooperation with 47 supply chain partners, specializing in supporting Chinese manufacturers looking to expand globally.

We possess established expertise and presence in key international markets including Eastern Europe, Southeast Asia, and East Asia.

We serve a broad range of customers—from retailers, wholesalers, and brand companies to engineers, private users, and manufacturers—demonstrating flexibility and wide applicability of their solutions.

Ideal for manufacturers lacking overseas sales experience, IDEALPLUSING provides essential guidance and way to enter and compete in international markets.



IDEALPLUSING[®]

Tel: +86-20-89282095 E-mail: info@idealplusing.com

Mobile/Whatsapp: +86-18928830209

Website: www.idealplusing.com www.idealpowersupply.com

www.jmhvpower.com www.ybyps.com www.azyps.com

ADD: NO.85 Gaopu Road, Tianhe, Guangzhou, Guangdong Province, China. 510520.